

Order Code	Item Name	Image	Specifications
22235722.101	Universal indicator solution		Universal indicator solution pH 4-11 500ml, (with colour chart) Liquid, d. 0.89
22235722.102	Universal Indicator papers 1-10		Universal Indicator papers 1-10 (with chart) (pkt contains 100 leaves)
22235722.103	Zinc (metal) Granulated Extra Pure		Zinc (metal) Granulated Extra Pure 500g Assay : Min. 99.5% Zn
22235722.104	Zinc Chloride (dry)		Zinc Chloride (dry) 100g , (purified powder), Assay : Min. 97% ZnCl ₂
22235722.106	Micrometer screw gauge		Outside Micrometer, 0-25 mm x 0.01 mm Stainless Steel
22235722.108	Steel Extension Spring		Steel Extension Spring, 50mm x 10mm

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.






Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

<p>22235722.111</p>	<p>Optics and RAY Box Set</p>		<p>This kit is very useful for reflection, refraction, and color mixing experiments. The light box consists of a light source 12 V, 24 W lamp, producing convergent, divergent or parallel beam. On one end, an adjustable cylindrical convex lens (for parallel beam) and on the other end, a triple aperture system for color mixing experiments (lateral aperture are provided with adjustable hinged mirror). All apertures in the box are provided with vertical channels to hold slit plates and color filters.</p>
<p>22235722.116</p>	<p>Series and Parallel Circuit</p>		<p>Wonderful school science project Best suitable as hobby or vacation activity Ignites interest in the subject and inculcate a scientific attitude</p>
<p>22235722.117</p>	<p>Wire Connector with Spring Lock Lever</p>		<p>Rated Voltage: 220V Rated Impulse Voltage: 4KV Material of Insulation: Modified Nylon(PA66) Compact, Super easy, Reliable, and Reusable. Color: Grey+Orange Rated Current:32A Rated power: 7KW Gauge:28~12AWG</p>

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

22235722.118	Lamp holder		B22 to E27 Base Socket Holder
22235722.119	Push Button SPST ON-OFF Switch		Voltage : 250VAC Current : 5A No of Pins : 2 Switch Type : Non-Momentary Push Button Action type : Push to ON and Push to OFF Configuration Type : Single Pole Single Throw (SPST) Mounting type : Panel Mount
22235722.120	Connecting wires black		4mm stackable connecting wires 50cm – black
22235722.121	Connecting wires red		4mm stackable connecting wires 50cm – Red
22235722.122	Bulb 2.5V		Bulb 2.5V, 0.2A pack of 10

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.





Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

22235722.123	Bulb 1.25V		Bulb 1.25V, 0.25A pack of 10
22235722.124	Crocodile clips		Crocodile clips- pack of 10

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com