



**Introduction:-** This receiver can track all current satellite constellations and signals, including GPS/GLONASS/BEIDOU/GALILEO/QZSS, etc. The new generation of Athena RTK engine effectively improves RTK initialisation success rate and initialisation accuracy in harsh environments, and supports long-baseline RTK solution, which is an effective guarantee for high-efficiency and high-precision RTK operations.

**Technical Specifications:-**

- Channels: 336 – 555 – 600
- IMU Tilt Sensor: 60°
- Internet Modem: 4G
- UHF Radio: 410 – 470MHz
- GPS: L1CA, L1P, L1C, L2P, L2C, L5, L1CA, L1P, L1C, L2P, L2C, L5, L1 CA, L2E, L2C, L5
- Glonass: L1CA/b L2C, L2P, L3, L5, G1, G2, G3, P1, P2, L1CA, L2CA, L3 CDMA
- Galileo: E1BC, E5a, E5b, E1, E5, AltBOC, E5a, E5b, E6, E1, E5A, E5B, E5AltBOC, E6
- Beidou: B1, B2, B3

*Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.*



Export Sales: +91-9829132777  
 India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,  
 Sitapura Extension, Jaipur-302022, India.



info@tesca.in  
 www.tescaglobal.com