



Fume Hood is used to protect lab environment and operator during general chemical applications. It actively protects operator from inhaling toxic vapors and dramatically reduces the risk of fire and explosion. By installing proper filter, it can also protect environment.

Technical Specifications:-

- External Size(W*D*H) : 1800*800*2515mm
- Instrument Size(W*D*H) : 1590*600*870mm
- Work Surface Height : 900mm
- Max Opening : 750mm
- Air Velocity : 0.3~0.8m/s
- System Exhaust Volume : 1140m³/h
- Noise ≤68dB
- Exhaust Duct : PVC,Standard length ;4.3 meters,Φ300mm
- Pipe Strap : 2pcs
- LED Lamp : 40W*1
- Blower : Built-in PP centrifugal blower
- Front Window : Manual,5mm toughened glass,height adjustable
- Power Supply : AC220V±10%, 60Hz/50Hz;110V±10%, 60Hz
- **Material :-**
 - Exterior : 1.0mm cold-rolled steel with bacteria powder coating
 - Interior : Compact laminate board with good acid and alkali resistance function
 - Work table :Chemical resistant phenolic resin

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com