

The Electronic Sequencer is intended for elementary as well as advance training of digital electronics. The trainer cover regular digital circuits by solder less inter connections through use of 4 mm brass terminations and patch cords. logic level input / output indicators and DC regulated power supply are in built. The unit housed in finished box .

The Trainer Cover The Following Experiment :

Experiment 1 : Study Of Basic Gates And Verification Of Their Truth Tables.

- 1.1 NOT
- 1.2 OR
- 1.3 AND

Experiment 2 : Study And Verifications Of The Law Of Boolean Algebra And De-morgan's Theorems.

- 2.1.1 AND
- 2.1.2 OR
- 2.1.3 COMPLEMENT OR NOT

Theorems

- 2.2.1 $(A = A + 0)$
- 2.2.2 $(1 = A + 1)$
- 2.2.3 $(A = A + A)$
- 2.2.4 $(1 = A + A')$
- 2.2.5 $(A.1 = A)$
- 2.2.6 $(A.0 = 0)$
- 2.2.7 $(A.A = A)$
- 2.2.8 $(A.A' = 0)$
- 2.2.9 $(a \& b)$ De Morgan's Theorem-I LHS & RHS $(A + B)' = A' . B'$
- 2.2.10 $(a \& b)$ De Morgan's Theorem -II LHS & RHS $(A . B)' = A' + B'$
- 2.2.11 $A + AB = A$
- 2.2.12 $A + A'B = A + B$
- 2.2.13 $(AB + AB') = A$
- 2.2.14 $(a \& b)(AB + A'C) = (A + C) (A' + B)$
- 2.2.15 $AB + A'C + BC = AB + A'C$
- 2.2.16 $A(A + B) = A$
- 2.2.17 $(a \& b)A(A' + B) = AB$
- 2.2.18 $(A + B) (A + B') + A$
- 2.2.19 $(A + B) (A' + C) = AC + A'B$
- 2.2.20 $(a \& b)(A + B) (A' + C) (B + C) = (A + B) (A' + C)$



Experiment 3 : Study Of Shift Register (sipo)

Feature:

- Two Input AND Gate-Four Numbers Using 7408
- Two Input OR Gate-Four Numbers Using 7432
- NOT Gate-Six Numbers Using 7404
- Memories Modules Eight Nos Using 7474
- DC Power Supply : 5 V / 500 mA (Internally Connected)
- Debounce Logic Switch : Six independent logic level inputs to select High / Low TTL levels,
- Output LED Indicators : Eight independent logic level indicators for High / Low status indication of digital outputs.
- Power ON : Power ON switch with indicator for mains on indication and fuse for protection.
- Patch Cords : Set of 20 assorted coloured multi-stand wires with 4mm stackable plug termination at both ends.(Stackable)
- Power Requirement : 230V + 10% single phase AC.
- Instruction manual : One detailed instruction manual with well thought out experiments covering the above topics.

Note: Specifications are subject to change.

Tesca Technologies Pvt. Ltd.

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com
Website: www.tesca.in