



This Distributed control System Trainer outlines the principle of Distributed control System used in Industrial Environment. The SCADA software & an interfacing package, PLC /Hybrid Controller / Honeywell C 300 DCS Master Controller based data logging & Distributed Control facility gives the overall idea regarding its application. Master Controller acquires Data, Send/Receive commands to remotely placed Controllers over USB / RS 485/ Ethernet/ Modbus/ TCP-IP/HART Network. Thus Master Controller Controls Process Plants forming Distributed Control System.

#### **KEY WORDS:**

- Distributed Control System.
- PLC / Hybrid Controller / DCS Controller (True DCS) Based Process Control Techniques.
- SCADA Based Process Control
- USB/RS 485/ Ethernet/ Modbus/ TCP-IP/HART Communication
- Process Plants such Flow-Level-Pressure-Temperaure Control Trainer shall be hooked up with DCS (Distributed Control System Trainer)

#### SUPERVISORY STATION

CONTROLLER MAKE: Honeywell DCS C300 / Emerson Delta V / Yokogawa or equivalent. Master Controller acquires Data, Sends/Receives commands to remotely placed Controllers, Field Devices, Analog Input/ Output Display components over Field Bus network.

Communication Protocol : HART / Field Bus/ Rs 485 Network

System Power Supply - 1 No., Network Module - 1 No.

Analog Input Module Cards: 16 Channels, Voltage / Current/HART Enable -1 No. Analog Output Module Cards: 16 Channels, Voltage / Current/HART Enable- 1 No.

Digital Input Module: 32 Channels, 24 V DC- 1 No. Digital Output Module: 32 Channels, 24 V DC- 1 No.

HART Transmitter - 1 No.

Buzzer/ Alarm Annunciator fitted in System Cabinet

Note: Specifications are subject to change.

# Tesca Technologies Pvt. Ltd.

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension, Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India, Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com

Website: www.tescaglobal.com





CONTROL PANEL	MS Powder coated panel with switches, indicator, Test Points, controller on front facia, UK 2.5 Terminal Connectors mounted on DIN rail channel. Use of 1sq mm multistand wire with Proper insulated Lugs, Ferruling & neat wire Dressing & clamping Wires & power cables are Seated through 1"×1" PVC cable tray.
Necessary I/p-O/p simulating devices.	(Push Buttons, Indicating Lamps etc. fitted in front DOOR Panel of System Cabinet) Front panel for display of digital input/output status:
Computer	PC with Latest Configuration color monitor: 15", PC Pentium Dual Core, with serial communication ports, 300/500 GB HDD, 2/4 GB RAM
Software	SCADA Software: License Software: DCS program development & execution. Plant Cruise /CITECT/Eqvt SCADA Based Software for Run Time & Development Mode (License Version) 1000 points / tags. Fully Configurable Graphics Configurations, Alarms, Trends, Reports & History Generation Work Station: Server Grade PC with LCD Monitor (Dell / HP)

<sup>\*</sup> To demonstrate proper Operation of the DCS, you will need to hook up the Supervisory Station to the below mentioned Process Control Loops

### OPTIONAL LOOPS/ PROCESS PLANTS TO BE HOOKED UP WITH DISTRIBUTED CONTROL SYSTEM

\*You can select any of the following Loops as per your requirement

- A] FLOW CONTROL SYSTEM TRAINER -52221 to 52224
- B] LEVEL CONTROL SYSTEM TRAINER 52225, 52226, 52227
- C] WATER PRESSURE CONTROL SYSTEM TRAINER 52228
- D] AIR PRESSURE CONTROL SYSTEM TRAINER 52229
- E] AIR TEMPERATURE CONTROL SYSTEM TRAINER 52230
- F] WATER TEMPERATURE CONTROL SYSTEM TRAINER 52231
- G] CASCADE CONTROL SYSTEM TRAINER PCST 52240
- H] RATIO CONTROL SYSTEM TRAINER PCST 52242

## **RANGE OF EXPERIMENTS:**

- Study of Distributed Control Systems
- Study of Proportional (P), Integral (I) and Derivative control (D) Actions.
- Study of PLC Based (52243)/ Hybrid Controller Based (52244)/ Advanced DCS Based (52245) Process Control.
- Study of operation and calibration of transmitters, I/P converter and Control Valve.
- Study of Communication Protocols such as USB/RS 485/ Ethernet/ Modbus/ TCP-IP/HART
- Study of Individual Process Plants hooked up with the DCS.
- Study of SCADA Application Software/ Computerized Control of Process Plants.

## Features:

- Three Different Options to make the meet the requirements of the User viz.:
  - A] BASIC DCS TRAINER -52243
  - B] HYBRID DCS TRAINER 52244
  - C] ADVANCED DCS TRAINER (52245 TRUE INDUSTRIAL DCS)
- Understand the concept of Distributed Control System.
- User Friendly, Self Explanatory Systems.
- Explains the modern Process Control Techniques used in Industries

Note: Specifications are subject to change.

# Tesca Technologies Pvt. Ltd.

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension, Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India, Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com Website: www.tescaglobal.com

<sup>\*</sup>The DCS system is supplied complete with Software, Controller, network module & I/O modules that are needed to monitor & control the process plant.



- Enhanced Electrical Safety Considerations.
- Training Manual & Mimic Charts for Operation Ease.
- System Frame with Caster Wheel Arrangement for ease in movement.
- M.S. powder coated cubical plant with standard Instrument Mountings.
- Inbuilt Safety Measures to avoid improper usage.
- Computer Interface, SCADA Application software connectivity for analysis of Process Plants.
- System Dimension: 4.5 Ft. (L) X 1.5 Ft. (W) X 4.5 Ft. (H)

# **Services Required:**

- Electric supply 230 V AC, 50 Hz.
- Clean, dry and dust free Compressed air supply 2.1 kg/cm?

Note: Specifications are subject to change.