



Features

- Compact Ergonomic Design.
- User Friendly, Self Explanatory Systems.
- Robust Construction.
- Enhanced Electrical Safety Considerations.
- Training Manuals mimic Charts for Operation Ease.
- Inbuilt Safety Measures to avoid improper usage.
- Caster wheel mounted movable frame

Experiments

- Study Of dynamic response of interacting & non interacting system
- Study Of step response of first order systems arranged in non interacting & interacting mode
- Study of step response of single capacity system.

Services Required

- Electric Supply of 1 ϕ 230 VAC motor.

Technical Specification

No.	Item Name	Technical Specifications
1	Rotameter	1 No., Range: 40-400 LPH, Glass tube type/acrylic body, Bob Material: SS 304 Connection: 1", Mounting: Inlet- Bottom, Outlet- Top.
2	Process Tank	3-Nos., Dimensions: 6"X6"X12"stainless steel/acrylic/P.P.5mm thick ,with graduated scale in mm.
3	Supply Tank	Dimensions: 1'X 1'X 1', Material: stainless steel1.5mmthick/acrylic/P.P. 5mm thick,
4	Centrifugal Pump	1/2"H.P. 230V AC Supply, Surface mounting.

Note: Specifications are subject to change.

Tesca Technologies Pvt. Ltd.

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com
Website: www.tescaglobal.com