

PCB ART WORK FILM MAKER Order Code - 71521

It is a tabletop unit which serves as a negative making contact printer as well as an illuminated Artwork table for Circuit Artwork taping and Inspection of Films and Negatives.

The user can directly make Negatives for IX scale artworks. It has a working area of 300 mm x 250 mm (12"x10") with diffused light and a push button operated exposure.

380 mm x 230 mm x 330 mm

Electrical Power

:


- ·
 - 230V/50Hz, 5A Socket required

ARTWORK TABLE (ILLUMINATED) Order Code - 71522

Tabletop artwork and PCB inspection table with bottom illumination and diffused light.

Max working area: 350 mm x 450 mm (14"x18")





PCB SHEARING MACHINE Order Code - 71523

Benchtop Guillotine type shearing machine to cut PCB's and Laminates. Compact structure with central handle allows ease of cutting.

Width $300 \,\mathrm{mm}(12")$: Size 400 mm x 350 mm :

PHOTO RESIST DIP COATING MACHINE Order Code - 71524

The machine is table top and compact. A single operation unit designed for coating of laminates with Photo resist. The machine ensures uniform controlled thickness of Photo resist on copper clad.

Max Board Size	:	250 mm x 300 mm (10"x 12")
Rectangular Tank Capacity	:	2 liters
Dips one PCB at a Time Electrical Power	:	230V/50Hz, 5A Socket required



Note: Specifications are subject to change.

Tesca Technologies Pvt. Ltd.

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension, Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India, Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com Website: www.tesca.in





DOUBLE SIDED UV EXPOSURE MACHINE Order Code - 71525

A tabletop double sided exposing unit for high resolution exposure of PCBs. The new small footprint takes minimum space & power.

:	300 mm x 250 mm (12"x10")
:	2 x 4 (imported) actinic tubes with single/ double side
	Option
:	Electronic Type
:	Provided
:	230 V -50Hz, 5A Socket required
	: : : :

DYE/DEVELOPER MACHINE Order Code - 71526

A unique tabletop unit which gives you the convenience to dyeing and developing PCB laminates both in 1 machine. A diaphragm pump agitates the developing solution chamber. A separate bye chamber is also provided.

Technical Specification

:	250 mm x 300 mm (10"x10")
:	2 Ltr. For Developer solution, 2 Ltr. For Dye solution
:	Diaphragm type compressor pump
:	Provided to operate air pump
	: : :





ROLLER TINNING MACHINE Order Code - 71527

It is a table top unit for Tin/ Solder coating of PCB's This coating also improves the solder ability of the PCB. The machine is ideal for polytechnics & engineering colleges. A hand operated flywheel allows easy coating of boards.

Maximum PCB Width	:	250 mm (10")
Maximum PCB Thickness	:	6 mm
Solder Bath Capacity	:	5 kgs
Heaters	:	2 x 500 Watts
Rollers	:	Silicon Coated
Bearings	:	Teflon
Electrical Power	:	230V - 50 Hz, 5A Socket required

PCB ETCHING MACHINE Order Code - 71528

For fast single and double s	sided l	PCB etching. Full PVC structure.
Useful etching area		$250 \mathrm{mm} \ge 300 \mathrm{mm} (10^{\circ} \ge 12^{\circ})$

Useful etching area	:	$250 \mathrm{mm}\mathrm{x}300 \mathrm{mm}(10^{\circ}\mathrm{x}12^{\circ})$
Tank Capacity	:	20 Liters. Includes a heater and air flow compressor. All construction materials are corrosion free.
Heater	:	Titanum non-corrossive with thermostat control
Timer	:	Provided
Electrical Power	:	230/50Hz, 5A Socket required

Note: Specifications are subject to change.

Tesca Technologies Pvt. Ltd.

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension, Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India, Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com Website: www.tesca.in







PCB DRILLING MACHINE Order Code - 71529

A compact tabletop High speed PCB drilling machine with a Quick change Chuck

- Drill holding by precision chuck with lapped jaws
- Mains operated DC motor Direct drive (no belt and pulley)
- 3 Step Speed Control and Illumination of work Area

Technical Data

Motor Speed	:	upto 20,000 R.P.M.
Range	:	0.6 to 3.0 mm
Base	:	Metal
Working Area	:	280 mm x 170 mm
Electrical Power	:	230/50Hz, 5 A Socket required

PCB DRAFTING AIDS KIT Order Code-71531

The PCB Drafting Kit includes various tapes, pad and other materials for making PCB Artworks.

PCB CURING MACHINE (OVEN) Order Code -71532



Tabletop unit for curing of liquid photoresist, pre-heating substrates etc. A timer controlled heating system allows fast and efficient curing. Complete metal construction.

Max: 250 mm x 300 mm (10" x 12")

Heating	:	Heaters with thermostat controls
Fan	:	For air circulation
Timer	:	Provided
Shelf	:	Included
Electrical Power	:	230/50 Hz. 5A Socket required

Note: Specifications are subject to change.

Tesca Technologies Pvt. Ltd.

305, Taru Chhaya Nagar, Tonk Road, Jaipur-302029, India Tel: +91-141-2724326, Mob: +91-9413330765 Email: info@tesca.in, tesca.technologies@gmail.com Website: www.tesca.in



CHEMICALS FOR THE PCB LAB MACHINES Order Code - 71530I/E

71530I - Chemicals & Accessories Set for PCB Lab (India Market All Chemicals)

71530E - Chemicals & Accessories Set for PCB Lab (Export Market Without Lith Film Developer/Fixer, Photo Resist Liquid/Thinner/Developer, FeCl3 Etching Crystals and Roller Tin Machine Chemicals)

Board Preparation & Cleaning

 Single Sided PCB Laminate 	:	5 Nos.
Paper Phenolic 300 x 300mm (1 x1 feet)		

For Dark Room:

•	Safe Lamp	:	1Unit
•	Lith Film $250 \times 300 \text{ mm} (10 \times 12^{\circ})$:	10Nos.

- Lith Film Developer A & B (5 Liters) : 1Pkt
- (Not for Exports)
- Lith Film Fixer (Not for Exports) : 1Bottle
- Developing Trays : 3 Nos.

For Photoresist Dip Coating Machine

- Photoresist Liquid (Not for Exports) : 2 Liters
- Photoresist Thinner (Not for Exports) : 1 Liters
- Photoresist Developer (Not for Exports) : 5 Liters
- Photoresist Dye : 5 Liters

For Etching Machine

• Etching Crystals (Not for Exports) : 5 Kgs.

For PCB Drilling Machine

Drill Bits		
• 0.80mm	:	2 Nos.
• 1.00mm	:	2 Nos.
For Roller Tin Machine		
		F T 7

• Solder 63.37	:	5 Kgs.
• Roll Salt	:	2 Kgs.
• Flow Coat	:	0.5 Liter.

Note: For export certain chemical are not allowed which are to be arranged from local market.





Single Sided Ultra Violet Exposure Machine Order code - 71533

For exposure of si	ingle sided	l photosensitive PCBs
U.V. Tubes	:	4 Nos X 8 Watts Actinic tubes
Tube lenght	:	300 mm (12")
Area	:	300 mm X 255 mm (12" X 10")
Contact	:	Pressure Type
Timer	:	0-4.0 minutes
Electrical Power	:	230V-50Hz, 5A Socket requited



10) Solderable laquer Tank Order Code - 71534

This is a table top unit which is used for protecting the PCB from environment. This chemical coated on PCB ensures protection for long time.

Supply	:	230VAC ±10% 50Hz
Timer	:	Adjustable from 1 Sec to 30 Sec at interval of 5 Sec.
Display	:	16 X 2 LCD for timer
Buzzer	:	For indication
Dipping area	:	12" X 10"



Note: Specifications are subject to change.

Tesca Technologies Pvt. Ltd.

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension, Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India, Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com Website: www.tesca.in

