



The TableTop Function Generator is capable of Multi Signal i.e. Sine, Triangle and Square with Amplitude Control. ,Triangle and Square with Amplitude Control.

### Technical Specifications

Basic Function	Range
Frequency Range	0.2Hz/2Hz/20Hz/200Hz/2KHz/20KHz/200KHz/2MHz
Amplitude	(2Vp-p~20Vp-p) ±20%
Output signal impedance	50 ohm
Attenuation	20dB/40dB
Duty cycle	20%~80% (±10%)
Displaying	5 digits LED frequency display and 3 digits LED amplitude display synchronously
Sine wave	Distortion <2%
Triangle wave	Linearity>99%
Square wave	Rise edge times/ fall edge times<100nS
Time base	Symmetry frequency: 12MHz, frequency stability: ±5×10 <sup>-5</sup>
Signal frequency stability	<0.1%/Minute
Measurement error	£ 0.5%
Dimension	210×215×100mm
Weight	Approx. 2.5kgs
Power	220V/110V±10%, 50Hz/60Hz±5%

Note: Specifications are subject to change.

### **Tesca Technologies Pvt. Ltd.**

305, Taru Chhaya Nagar, Tonk Road, Jaipur-302029, India  
Tel: +91-141-2724326, Mob: +91-9413330765  
Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tescaglobal.com