



## Complies with following International Standards:

IP 154, IS 1448 (P-15), ASTM D130

## **Technical Specifications of Bath:**

- Compact and unique design
- Aesthetical exterior appearance
- · Double walled water bath
- Inner chamber is made of mirror polished Stainless steel 304 grade material
- Exterior body is fabricated from Mild steel material, which is powder coated in attractive shades
- 65 mm thick GLASS WOOL insulation to prevent thermal heat loss.
- Temperature is controlled by Micro-Processor Based Digital PID Temperature Controller

: 5 °C above ambient to 100 °C Operating temperature

: 0.1 °C Temperature resolution • Temperature control accuracy : ± 0.5 °C

- Immersion Heaters are of stainless steel material, which are fitted within the chamber
- · Heaters are designed such that they have Long life and high safety zone
- Stirring is accompanied by stainless steel stirrer with peddle which will cause the uniform temperature distribution throughout the chamber.
- Bath is designed for 4 test positions, with lid having hooks for suspending bombs. (1 No. Bomb supplied, additional at extra cost)

## • Essential accessories at Extra Cost:

- ASTM Color Chart For Copper Strip Corrosion Test
- Laminated double sided comparison chart INDIAN
- Copper Strips, 3" x 0.5" x 12 SWG, pack of 3.
- S.S. BOMB (Copper Corrosion test vessel, stainless steel with Orings, screw type cap, for use up to 100 psi)
- Bench top vice to hold up to 6 strips for polishing
- Thermometers as per ASTM 12C/IP 64C
- Test Tubes of 25 mm diameter & height 150 mm pack of 10.
- Test Tube stand, to hold 3 test tubes of 25 mm diameter & height 150 mm.
- Silicon Carbide Paper, grade 100/150/240.
- Silicon Carbide Powder, 150 mesh, 1 kg.
- Inspection tube (Flat)

**Note**: Please refer to the essential accessories cost for performing the experiment thoroughly as per ASTM Standard.

Note: Specifications are subject to change.

Mear Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,

Tel: +91-9829132777; Email: info@tesca.in, tesca.technologies@gmail.com

© Website: www.tescaglobal.com

