

Order Code	Description of Goods	Specifications Offered	Image	
23246514.5	9V Original HW High- Quality Battery	Constant 9V Output till lasts Metal Jacket Body Good Built Quality and hence Leakproof Easy to install and Replace Corrosion free Connector Point for long-term use 0% Mercury and Cadmium. Environment- friendly OEM Compatible.	HI-Watt Mary DY Mar	
23246514.8	63/37 Tin Lead Rosin Core Solder Wire for Electrical Soldering - 0.8mm / 12g	High Quality Material: Made of high quality Tin Rosin Core Wire RoHS compliant Easy to Use: Melting point melting point range: 185°C - 190°C (365°F - 374°F). Melts in a Perfect Flow, Evenly and Clean. Gives a smooth finish to any soldering job. Multi-Purpose: Can be used in a wide variety of Electrical Soldering jobs and repairs such as work and repair on: Smartphone and Tablet, Laptop, Game Console, Drone, RC Vehicle, AC, Headset, Radio, Audio, TV, Toys, Circuit board, Remotes and other electrical devices. Package Contains: 1x Lead Free Solder Wire 12Grams 1x Plastic Tube that protects the solder from dirt and moisture. Also it is great to take to on-site repairs.		

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777 India Sales: +91-9588842361

















23246514.10	150 Watt Hot Melt Glue Gun	Air Volume: 150 watts Power Consumption: 150watts Temperature Range: adjustment temperature Usage/Application: Industrial grade Glue Gun, art and craft Cup Capacity: 10 to 12 mm diameter Frequency: 80 to 150 watts Nozzle Size: 1.5 inch Variable Temperature Control: yes Voltage: 150 Heat Up Time: 3 min Cable Length: 1 Meter Weight: 150gms Made in: India	
23246514.11	Transparent Hot Melt Glue Stick for Glue Gun	High transparency brings a good look at the join position. Being colorless and odorless makes a comfortable working environment. Long open time improves application flexibility. Versatile for a wide range of substrates.	
23246514.12	Solder Gun Iron 60W Temperature For Auto Welding Soldering	New and Imported 220V 60W Automatic Soldering Iron Gun Hand Welding Tool with Solder Wire, tough Geyotar, Output Power:60W, Input Voltagle:220V, Output Temperature:300-400Celsius, Dimensions:19CM, Temperature Stability:1, Use: Hand gun used for the first time, be warm a few minutes, a smoke is a normal phenomenon, will disappear in a few seconds. Will be rated into the tin from the tin line into the mouth, and then pull the trigger direction of the arrow until the tin lead	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777 India Sales: +91-9588842361

















		solder wire to the nozzle only to be working. Stop the use or replacement of tin wire to be out, as long as the direction of the board-up drive, and remove the tin wire. Heater replacement, the first protective cover removed, open the heater connection, and then remove the iron Tsui to the core of the heat can be replaced. Parcel included: 1* Pcs 60W electric iron gun 1* Pundle solder wire (as the picture) 1* Pcs suction tin device 1* Pcs tweezers	
23246514.15	IC voltage requlator LM7805/7809 /7812	LM7805/7809/7812	
23246514.16	Operational Amplifier UA741	Operational Amplifier UA741	
23246514.17	Timer IC NE555 or SE555	Timer IC NE555 or SE555	#312158BW


Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777 India Sales: +91-9588842361

















23246514.22	RJ45 and RJ11 Network Cable Tester	The base unit of the cable tester can be connected via a network cable directly to a hub or switch to test wire connections, or to a network card to test the send receive pairs of wires, it can test if there is any open or miss-wire without the remote kit. 9 Led's to show you exactly which wire is open or miss-wire on both remote and master unit. Old version has 4 Led's. Master and Remote unit are both included. Automatic scan mode, Rapidly Testing. Power switch is not a push button will not easily turn on and waste battery." "Test the correct pin configuration of 10/100 Base-T 10Basc-2 Thin Ethernet cable Easy to verify cable continuity, open, short and miss-wire With remote kit, it can remotely test cable up to 1000 ft in length either on wall plate or patch panel. Can test the grounding. Auto scan with 2 speeds for pin-out Indicators. A power switch is provided for saving Battery Power. 9 Volt Battery.	CABLE RJ4+ FLJ11 TESTER 1 - 1 2 3 4 5 5 5 5 5 5 5 5 5
23246514.23	16 Pc Cushion Grip Screwdriver set	16pcs Cushion Grip Screwdriver Set Philips®:#1×100mm,#2× 100mm,#2×150mm Slotted: 5×100mm, 6.5×100mm, 6.5×150mm Torx®: T6×80mm,T8×80mm,T15 ×80mm,T20×20mm Philips® Precision Screwdriver: #0, #1 Slotted Precision Screwdriver:	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777 India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area, Sitapura Extension, Jaipur-302022, India.

1.4,2,2.4,3,4mm











23246514.25	Small signal Diode 1N4001	Small signal Diode 1N4001	
23246514.27	BC107	BC107	COLLECTOR 3 COLLECTOR 3 EASE 1 EMITTER
23246514.28	SL100	SL100	St. 1908
23246514.30	2N3055 NPN Power Transistor TO- 3 Metal Package	2N3055 NPN Power Transistor TO-3 Metal Package	alight by

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777 India Sales: +91-9588842361





















23246514.31	Zener diode 5.6v	Zener diode 5.6v	
23246514.32	Ceramic capacitors 1μF, 10μF, 22μF, 100μF, 47μF, 10pF, 150pF, 200pF	Ceramic capacitors 1μF, 10μF, 22μF, 100μF, 47μF, 10pF, 150pF, 200pF	Tax Control of the co
23246514.33	Inductors 1µH, 8mH, 10mH, 100mH, 150mH, 200mH	Inductors 1µH, 8mH, 10mH, 100mH, 150mH, 200mH	
23246514.34	Carbon Resistors with 20% 10Ω , 330Ω , 470Ω , 560Ω , $1k\Omega$, $1.2k\Omega$, $2k\Omega$, $2.2k\Omega$, $4.7k\Omega$, $8.2k\Omega$, $10k\Omega$, $20k\Omega$, $30k\Omega$, $47k\Omega$, $57k\Omega$, $1M\Omega$, $10M\Omega$	Carbon Resistors with 20% 10Ω , 330Ω , 470Ω , 560Ω , $1k\Omega$, $1.2k\Omega$, $2k\Omega$, $2.2k\Omega$, $4.7k\Omega$, $8.2k\Omega$, $10k\Omega$, $20k\Omega$, $30k\Omega$, $47k\Omega$, $57k\Omega$, $1M\Omega$, $10M\Omega$	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777 India Sales: +91-9588842361

















23246514.35	Variable resistors Carbon type $10\% \ 0-1k\Omega$, $0-25k\Omega$, $0-50k\Omega$, $0-100k\Omega$, $0-150k\Omega$	Variable resistors Carbon type $10\%~0-1k\Omega$, $0-25k\Omega$, $0-50k\Omega$, $0-100k\Omega$, $0-150k\Omega$	
23246514.36	Fuse 200mA, 250mA, 2A,5A, 7A,10A	Fuse 200mA, 250mA, 2A,5A, 7A,10A	
23246514.37	Hook Up wire	Hook Up wire	
23246514.41	Resistors box assorted Resistors	Resistors box assorted Resistors	DA VAINT VIA BROWN VIA BACOMONT UNIVERSAL PROPERTY OF THE PROP

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



CIN: U29309RJ2011PTC035213 **GSTIN**: 08AADCT8576E1ZZ

Export Sales: +91-9829132777 India Sales: +91-9588842361























23246514.42	Capacitor Box assorted Capacitors	Capacitor Box assorted Capacitors	35 Value 300 ps 2000 V light Voltage Curvaini. Capacitiers Assertment Box 1000
23246514.43	Diode 1n4007	Diode 1n4007	
23246514.44	Diode Din4148	Diode Din4148	
23246514.46	Transistor 2N2222	Transistor 2N2222	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.




GSTIN: 08AADCT8576E1ZZ

Export Sales: +91-9829132777 India Sales: +91-9588842361





















23246514.47	Transistor BD139	Transistor BD139	
23246514.48	Transistor BC107	Transistor BC107	COLLECTOR SEASE SE
23246514.50	OPAMP – LM741	OPAMP - LM741	G 747CH
23246514.50	Transistor BC557 NPN, PNP BC548	Transistor BC557 NPN, PNP BC548	BCS57 B 133
23246514.54	LED 5mm	LED 5mm	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777 India Sales: +91-9588842361





