

Order Code	Item Name	Item Specifications	Reference Image
25268523C.28	2-Way Manifold Set	Brass R410A, R22, R404A 2-Way Manifold Set with 3-1/8" Gauges, 3-60" Hoses and Standard 1/4" Fittings	
25268523C.29	2-Way Manifold Set + R134A R410A R22 R12 Charging Hoses and Ball Valve Set	R134A R410A R22 R12 Charging Hoses and Ball Valve Set	
25268523C.30	Refrigerant Gas Cylinder	Refrigerant Gas Cylinder : Capacity : 13 kg	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.31	Electronic Bench Scale	<ul style="list-style-type: none"> Platform Size : 600x600 mm Material : Stainless Steel Frequency : 50-60 Hz Repeatability : 5 g Type of Product : Platform Scale Accuracy : 5 g Weighing Capacity : 50Kg 	
25268523C.33	Two Stage Nitrogen Gas Pressure Regulator	<ul style="list-style-type: none"> High quality and calibrated pressure gauges give precise and accurate reading Die forged brass body makes regulator safe and leak proof Metal filter at inlet connection restricts the passage of dust Safety relief valve present for safety, which resets automatically 	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.34	VP4 thermostat for refrigerator	<ul style="list-style-type: none"> VP4 thermostat for refrigerator 	
25268523C.35	VT9 thermostat for 2-door refrigerator	<ul style="list-style-type: none"> VT9 thermostat for 2-door refrigerator 	
25268523C.36	Thermostatic expansion valve	Thermostatic expansion valve	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.37	Sølenoid Valve 220v 3/8"	Soltairejaco Brass Electric Sølenoid Valve 220v 3/8" Normal Closed Water Sølenoid Valve 220v Air Operated Solenoid Valve 220 Vatt	
25268523C.38	Filter dehydrator: Φ 3/8 flare and 3/8 nuts	Φ 3/8 flare and 3/8 nuts	
25268523C.39	Liquid indicator	Complied	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.40	PVC tube	PVC tube- 3 mtr Pipe	
25268523C.41	HP LP Pressure Switch	Pressure switches are widely used for a large range of applications throughout industry and manufacturing. Their function is to provide systems with electrical feedback in response to measuring a rise or fall in pressure. A pressure switch is usually adjustable with regard to the chosen set point of operation.	
25268523C.42	LP pressure regulator switch	Pressure switches are widely used for a large range of applications throughout industry and manufacturing. Their function is to provide systems with electrical feedback in response to measuring a rise or fall in pressure. A pressure switch is usually adjustable with regard to the chosen set point of operation.	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.43	HP regulation pressure switch	Pressure switches are widely used for a large range of applications throughout industry and manufacturing. Their function is to provide systems with electrical feedback in response to measuring a rise or fall in pressure. A pressure switch is usually adjustable with regard to the chosen set point of operation.	
25268523C.44	Fridge Refrigerator Defrost Timer	AC 200/240V 50/60Hz Fridge Refrigerator Defrost Timer	
25268523C.45	Dial Thermometer	<ul style="list-style-type: none"> • 100% Brand New And High Quality • With removable brass pocket, water-proof efficiently • Made Of Stainless Steel • Package Includes: 1 x Thermometer 	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.48	Evaporator Pressure Regulator	Evaporator Pressure Regulator Solder, ODF Type 12.7 mm (1/2 inch) Connection Size	
25268523C.49	Condensing pressure regulator	Condensing Pressure Regulator Solder, ODF Type 16 mm (5/8 inch) Connection Size	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.50	Start regulator	Evaporator Pressure Regulator Solder, ODF Type 12.7 mm (1/2 inch) Connection Size	
25268523C.51	Capacity regulator	Evaporator Pressure Regulator Solder, ODF Type 12.7 mm (1/2 inch) Connection Size	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.52	Check valve Φ 1/2	Check valve Φ 1/2	
25268523C.53	Refrigeration tap Φ 1/2	Refrigeration tap Φ 1/2	
25268523C.54	Refrigeration tap Φ 3/8	Refrigeration tap Φ 3/8	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.55	Room thermostat-30 to +30°C	Room thermostat-30 to +30°C	
25268523C.56	Refrigerating copper Φ 1/4 (ml), SO m roll	Refrigerating copper Φ 1/4 (ml), SO m roll- 2m roll	
25268523C.57	Refrigerating copper Φ 3/8 (ml), SO m roll	Refrigerating copper Φ 3/8 (ml), SO m roll- 2m roll	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.58	Refrigerating copper Φ 1/2 (ml), SO m roll	Refrigerating copper Φ 1/2 (ml), SO m roll- 2m roll	
25268523C.59	Refrigerating copper Φ 5/8 (ml), SO m roll	Refrigerating copper Φ 5/8 (ml), SO m roll- 2m roll	
25268523C.60	5/8 flare nut	Brass Flare Union 5/8 " Flare X 5/8" with Nut	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.61	½ flare nut	Brass ½ Flare Nut, Hexagonal Compression Fitting, AC Copper Pipe Connection	
25268523C.62	3/8 flare nut	Brass Flare Union Nut 3/8 " Flare X 3/8"	
25268523C.63	¼ flare nut	Brass Flare Union Nut 1/4 " Flare X 1/4"	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.64	Flaring tool box (1/8-3/16-1/4-S/16-3/8-1/2-S/8-3/4)	<ul style="list-style-type: none"> 8-Piece Heavy Duty Flaring Tool Kit with 3-in-1 Pipe Bender – Manual Double Flaring & Swaging Tool Set for Copper, Aluminum & Soft Steel Tubing 3-in-1 Tubing Pipe Bender – Accurately bends 1/4", 5/16", and 3/8" pipes without kinking or flattening. 	
25268523C.65	Schrader valve with Φ 1/4 copper tip and knurled cap	1/4" NPT Tank Valve Anti-Corrosion Brass Schrader Valve with 1/4" Male NPT Thread, Using with Air Compressor Tanks with Sealing Caps	
25268523C.66	Filter dehydrator copper inlet Φ 1/4 outlet 2.5 mm 20 g for Refrigerator	Filter dehydrator copper inlet Φ 1/4 outlet 2.5 mm 20 g for Refrigerator	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.67	Perforated Sheet Metal Cabinets, For Electronics/Electrical	Electrical cabinet with perforated grid dimensions: L x W x H = 600 x 400 x 250 mm	
25268523C.68	Perforated Board Organizer	Perforated Board Organizer, 7 X 7 Holes Metal Grid Panel Aluminum Grid Plate Metal Perforated Board Panels Mesh Hole Plate For Tool Organization	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.69	Fuse Switch Disconnecter	400/4 No fuse (Direct Rotary Handle)	
25268523C.70	Miniature Circuit Breaker (C Curve – MCB) 20A	Miniature Circuit Breaker (C Curve – MCB) 20A	
25268523C.71	Miniature Circuit Breaker (C Curve – MCB) 16A	Miniature Circuit Breaker (C Curve – MCB) 16A	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.72	Auxiliary Contactor	<ul style="list-style-type: none"> Type of Product : Auxiliary Contactor Current Rating : 9 A Frequency : 50/60 Hz Mounting Type : Top Coil Voltage : 230 V 	
25268523C.73	Auxiliary Contactor	<ul style="list-style-type: none"> Type of Product : Auxiliary Contactor Current Rating : 9 A Frequency : 50/60 Hz Mounting Type : Top Coil Voltage : 230 V 	
25268523C.74	Thermal relay 1.6 to 2.5 A	<ul style="list-style-type: none"> Rated Current (A) : 1.6-2.5A Type of Product : Thermal Overload Relay 	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.75	Thermal relay 2.5 to 4 A	<ul style="list-style-type: none"> Rated Current (A) :2.5 to 4 A Type of Product : Thermal Overload Relay 	
25268523C.76	Thermal relay 1to 1.6 A	<ul style="list-style-type: none"> Rated Current (A) :1 to 1.6 A Type of Product : Thermal Overload Relay 	
25268523C.77	On/Off Rotary knob	Self-locking 2NO Power Transfer Switch Short Handle Master Knob 22mm	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.78	Green push button	Green push button	
25268523C.79	Red push button	Red push button	
25268523C.80	Emergency Stop Switch Push Button	Emergency Stop Switch Push Button	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.81	Red indicator light 220 V	LED Panel Indicator 230V - Red	
25268523C.82	Green indicator light 220 V	LED Panel Indicator 230V - Green	
25268523C.83	Yellow indicator light 220 V	LED Panel Indicator 230V - Yellow	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.84	Terminal Block, Din Rail	Terminal Block, Din Rail- Different Make	
25268523C.85	Trunking, Pvc, Grey, 25X40 mm	Trunking, Pvc, Grey, 25X40 mm	
25268523C.86	Cable glands	Complied	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.




Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.87	4 mm ² terminal block	4 mm ² terminal block	
25268523C.88	2.5 mm ² Terminal blocks	2.5 mm ² Terminal blocks	
25268523C.89	Green/Yellow Terminal Block 2.5 mm ²	Green/Yellow Terminal Block 2.5 mm ²	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.90	2.5 SQMM X 5 CORE COPPPER FLEXIBLE FRLS (BARE COPPER) – 100 mtr roll	2.5 SQMM X 5 CORE COPPER FLEXIBLE FRLS (BARE COPPER) – 100 mtr roll	
25268523C.91	1.5 SQMM X 4 CORE COPPER FLEXIBLE FR (BARE COPPER) – 100 mtr roll	1.5 SQMM X 4 CORE COPPER FLEXIBLE FR (BARE COPPER) – 100 mtr roll	
25268523C.92	1.5 SQMM X 3 CORE COPPER FLEXIBLE FR (BARE COPPER) – 100 mtr roll	1.5 SQMM X 3 CORE COPPER FLEXIBLE FR (BARE COPPER) – 100 mtr roll	
25268523C.93	0.75 SQMM X 3 CORE COPPER FLEXIBLE FRLS (BARE COPPER) – 100 mtr roll	0.75 SQMM X 3 CORE COPPER FLEXIBLE FRLS (BARE COPPER) – 100 mtr roll	
25268523C.94	2.5 SQMM X 1 CORE COPPER FLEXIBLE FR (BARE COPPER) – 100 mtr roll-Red	2.5 SQMM X 1 CORE COPPER FLEXIBLE FR (BARE COPPER) – 100 mtr roll-Red	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.95	1.5 SQMM X 1 CORE COPPER FLEXIBLE FR (BARE COPPER) - 100 mtr roll-Red	1.5 SQMM X 1 CORE COPPER FLEXIBLE FR (BARE COPPER) - 100 mtr roll-Red	
25268523C.96	1.5 SQMM X 1 CORE COPPER FLEXIBLE FR (BARE COPPER) - 100 mtr roll-Blue	1.5 SQMM X 1 CORE COPPER FLEXIBLE FR (BARE COPPER) - 100 mtr roll-Blue	
25268523C.97	2.5 SQMM X 1 CORE COPPER FLEXIBLE FR (BARE COPPER) - 100 mtr roll -Blue	2.5 SQMM X 1 CORE COPPER FLEXIBLE FR (BARE COPPER) - 100 mtr roll -Blue	
25268523C.98	R404a Refrigerant Gas Cylinder	R404a Refrigerant Gas Cylinder : Capacity : 13 kg	
25268523C.99	R410a Refrigerant Gas Cylinder	R410a Refrigerant Gas Cylinder : Capacity : 13 kg	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.100	R134a Refrigerant Gas Cylinder	R134a Refrigerant Gas Cylinder : Capacity : 13 kg	
25268523C.101	Impact Drill	<ul style="list-style-type: none"> Type of Product: Cordless Combi Battery voltage: 12 V Torque (soft/hard/max.): 11/28/- Nm No-load speed (1st gear / 2nd gear): 0 - 400 / 0 - 1.500 rpm Power and flexibility within reach for screwdriving and drilling 2-speed gearbox enables high productivity and excellent torque Electronic Cell Protection for longer battery life and more durability 	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.102	Impact Drill	<ul style="list-style-type: none"> • Robust pot gear housing and clamp shell motor housing for tough jobsite conditions • Powerful 750 W motor to suit versatile professional needs • Compact ergonomic design for fatigue-free usage 	
25268523C.103	800 W 26 mm Rotary Hammer Drill	<ul style="list-style-type: none"> • Maximum Chuck Size :26 mm • Impact Rate : 0-4000 BPM • No Load Speed : 1100 RPM • Frequency : 50/60 Hz Type of Product : Rotary Hammer • Power : 800 W 	
25268523C.104	Metal Oil Can-1/2 Pint Capacity	Metal Oil Can-1/2 Pint Capacity	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.105	Small Angle Grinder	<ul style="list-style-type: none"> • Voltage : 220 - 240 V • Frequency : 50-60 Hz • Power Source : Electric • No Load Speed : 11000 RPM • Power : 670 W • Wheel Size : 5 inch 	
25268523C.106	Angle Grinder	<ul style="list-style-type: none"> • 230 mm (9") 2,200 W Angle Grinder, Large Trigger Switch • This model is a lightweight and compact 2,200W angle grinder with an N94 motor and has achieved weight reduction in the gear housing, etc. • Excellent maneuverability • Switch cover and Sponge are added to improve leakage current resistance between switch terminals • Three-position adjustable side grip for operator convenience • Double insulation 	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.107	Wooden workbench	Wooden workbench with table dimensions LxWxH 1600 x 800 x 850mm with two drawers + mechanic's vice	
25268523C.108	0.75HP AC CSCR Motor 1440RPM, 230VAC	0.75HP AC CSCR Motor 1440RPM, 230VAC	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.109	1HP AC Mootr 415V AC 1440RPM	1HP AC Mootr 415V AC 1440RPM	
25268523C.110	Aluminium Rope Ladder	Steps : ALUMINIUM STEPS Size : 22 ft Type of Product : Rope Ladder Length : Upto 25 Ft Material : Aluminium	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

Order Code	Item Name	Item Specifications	Reference Image
25268523C.111	Multipurpose ladder - 4 X 5 = 20feet	Multipurpose ladder - 4 X 5 = 20feet	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com