

Order Code : 20213517.21
Name : Knurling tools (set)



Description:

- Knurling Material: Steel
- Wheel Material: Steel
- Color: Black(Knurling)+Brown(Wheel)
- Knurling wheel figure: approx. 0.5mm, 1.0mm, 2.0mm
- Knurling wheel Diameter: Approx. 20mm
- Measurement Details in the attached picture.
- Weight: about 450g

Features:

1. The Knurling wheel is ideal for replacing your damaged Linear Knurl wheel.
2. Rigidity, wear resistance, anti-demolition damage strength, long service life.
3. Two rollers twill direction: One is positive and the other one is negative.
4. The mechanical process metal knob or other work at the appearance of rolling pattern for anti-slip.
5. It comes with fine, medium, and coarse diamond knurls.
6. Used for processing the work piece surface pattern.

Specifications:

- 0.5mm Diagonal Linear Knurling Wheel
- Knurling pitch: 0.5mm
- Net pulley diameter: 26mm
- Hole diameter: 10mm
- Hanawa Thickness: 8mm
- Dimension: 26 x 8mm / 1.02 x 0.31" (Dia x T)
- 1mm Diagonal Linear Knurling Wheel
- Diagonal Linear Knurling Wheel
- Knurling pitch: 1.0mm / 0.04"
- Knurled wheel outer diameter: 26mm / 1.02"
- Hole diameter: 10mm / 0.39"
- Knurled wheel Thickness: 8mm / 0.31"
- Total size: 26x8mm / 1.02x0.31" (Outer Dia. x T)
- 2mm Diagonal Linear Knurling Wheel
- Knurling pitch: 2.0mm / 0.08"
- Knurled wheel outer diameter: 26mm / 1.02"
- Hole diameter: 10mm / 0.39"
- Knurled wheel Thickness: 8mm / 0.31"
- Total size: 25x8mm / 1.02x0.31" (Outer Dia. x T)

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.

TESCA TECHNOLOGIES PVT. LTD.

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension, Jaipur-302029, Rajasthan, India.
Ph/ Fax: 91-141-2771791, 2771792; Email: info@tesca.in, tesca.technologies@gmail.com
Website: www.tesca.in