

46970 Electrical Workstation offers an excellent approach to the teaching of Electrical Machines principles by introducing a unique modular designed control unit. It provides flexibility for the students to carry out experiments over AC and DC Machines using a large selection of Industry standard inbuilt components.

Electrical Machines is one of the most important area of study as it helps users to understand the operational characteristics and working of AC and DC Machines. 46970 enables user to put their theory knowledge into practice with ease. There is an additional facility to make wireless connection on workstation with computer and to monitor real time electrical parameters using computer interfacing software. Users can also observe a real time graph between any of the AC and DC electrical parameters on computer.

Workstation comprises of separate AC and DC measuring sections equipped with all the necessary instruments such as digital meters, facility to connect AC and DC



Supplies along with protection devices such as Fuses, MCB's, Supply Indicators, etc. There are multiple buses provided on the Workstation to make external connections while performing AC and DC Machines Experiments.

The design of the control unit ensures to get the highest quality practical experience to user. All the necessary protective measures are taken to avoid fault or danger.

Note: All AC & DC Machines along with supporting accessories are available optionally

Features

- Compatible for Machines upto 3HP
- Equipped with Measurement Facilities for Experimentation on AC Machines, DC Machines and Transformers
- Separate AC and DC Measuring Sections
- Diagrammatic representation of AC and DC Machines for better understanding
- Rust Free Powder Coating Paint
- Standard BS-10 terminals, patch cords for safety purpose
- Terminals provided to obtain Three Phase Fixed as well as Variable AC and DC Supplies with suitable protection
- High Quality Digital Tachometer for RPM Measurement
- Motors provided with standard Mechanical Loading Arrangement Facility
- Motors with "aluminum" casted Brake-Drum/Pulley with heat suppression facility
- Machines with Class "B" Insulation
- Flexible shaft coupling arrangement (Lovejoy) for Motor Generator (MG) Sets
- Machines provided with Heavy Duty Base/Channel with suitable interconnection
- Machines provided with suitable protections such as MCB's, Fuses, Motor Generator (MG) Sets provided with coupling protective cover
- Generator with Electrical Loading Arrangement Facility
- Durable good quality spring balance
- Designed by considering all the safety measures

Note: Specifications are subject to change.

RIT-2013, Ramchandrapura Industrial Area, Sitapura Extension, Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India, Tel: +91-9829132777; Email: info@tesca.in, tesca.technologies@gmail.com



Technical Specifications

Electrical Measuring Instruments

AC Ammeter (4 Nos.)

Digital Type Range 10A

AC Voltmeter (4 Nos.)

Digital 450Vrms Range

DC Ammeter (4 Nos.)

Type Digital 20A Range

DC Voltmeter (4 Nos.)

Type Digital Range 300V

Single Phase Wattmeter (2 Nos.)

Type Digital Range 4kW DC Supply (for excitation purpose only)

 $300V \pm 10\%$ Voltage

Current 2Amp

DC Power Supply

DC Output Voltage (Fixed) $220V \pm 10\%, 2A$ DC Output Voltage (Variable) $220V \pm 10\%, 25A$

Protective Devices

Three Phase MCB (TPN) 2 Nos.

Interconnections 4mm BS-10 Safety Terminals

Object

DC Machines (optional)

DC Shunt Wound Motor

- 01. Study of Operational Working and Principle of DC Shunt Motor
- 02. Study of running and reversing phenomenon of DC Shunt Motor
- 03. Study of No Load Characteristic of DC Shunt Motor
- 04. Study of Load Characteristic of DC Shunt Motor
- 05. Study of speed control of DC Shunt Motor using armature voltage control and flux field control method
- 06. Study and Determine the losses of DC Machine and correspondingly calculate the efficiency of DC Machine by Swinburn's Test Method

DC Series Wound Motor

- 07. Study of Operational Working and Principle of DC Series Motor
- 08. Study of running and reversing phenomenon of DC Series Motor
- 09. Study of Load Characteristic of DC Series Motor
- 10. Study of speed control of DC Series Motor using armature voltage control and flux field control methods

DC Compound Wound Motor

- 11. Study of Operational Working and Principle of DC Compound Motor
- 12. Study of running and reversing phenomenon of DC Compound Motor
- 13. Study of Load Characteristic of DC Cumulative-Compound Wound Motor
- 14. Study of Load Characteristic of DC Differential-Compound Wound Motor

DC Shunt Wound Generator

- 15. Study of Operational Working and Principle of DC Shunt Generator
- 16. Study and measurement of Open Circuit Characteristic of DC Shunt Generator
- 17. Study and measurement of External Characteristic of DC Shunt Generator
- 18. Study and measurement of Internal Characteristic of DC Shunt Generator

DC Series Wound Generator

- 19. Study of Operational Working and Principle of DC Series Wound Generator
- 20. Study and measurement of Open Circuit Characteristic of DC Series Generator
- 21. Study and measurement of Load Characteristic of DC Series Generator
- 22. Study and verify the Field Test of DC Series Machine and correspondingly determine the efficiency of DC Series Motor and Generator at any desire load

DC Compound Wound Generator

23. Study of Operational Working and Principle of DC Compound Wound Generator

Note: Specifications are subject to change.

₹ **Tesca Technologies Pvt. Ltd.**% IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,

Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,

Tel: +91-9829132777; Email: info@tesca.in, tesca.technologies@gmail.com





- 24. Study and verify the Load Characteristics of Long Shunt Cumulatively Compound Generator
- 25. Study and verify the Load Characteristics of Short Shunt Cumulatively Compound Generator
- 26. Study and verify the Load Characteristics of Long Shunt Differentially Compound Generator
- 27. Study and verify the Load Characteristics of Short Shunt Differentially Compound Generator

AC Machines (optional)

Single Phase Capacitor Start Induction Motor

- Study of Operational Working and Principle of Single Phase Induction Motor
- Study of Running and Reversing of Single Phase Induction Motor
- Study of the No-Load Test in a Single Phase Induction Motor
- Study of the Blocked Rotor Test in a Single Phase Induction Motor
- Study of Load Test in a Single Phase Induction Motor

Three-phase Squirrel Cage Induction Motor

- Study of Operational Working and Principle of Three Phase Squirrel Cage Induction Motor
- Study of Running and Reversing of Three Phase Induction Motor
- Study of No Load Test performed in a Three Phase Induction Motor
- Study of Block Rotor Test performed in a Three Phase Induction Motor
- Measurement of Slip in a Three Phase Induction Motor
- Study of Speed-Torque characteristics in a Three Phase Induction Motor

Three Phase Salient Pole Synchronous Motor

- Study of Operational Working and Principle of Three Phase Synchronous Motor
- Study of V curve of Three Phase Synchronous Motor
- Study of Inverse V curve of the Three Phase Synchronous Motor

Three Phase Salient Pole Synchronous Generator

- Study of Operational Working Principle of Three Phase Synchronous Generator
- Study and Measurement of Positive Sequence Impedance of Three Phase Synchronous Generator
- Study and Measurement of Negative Sequence Impedance of Three Phase Synchronous Generator
- Study and Measurement of Zero Sequence Impedance of Three Phase Synchronous Generator
- Study of short circuit characteristics (SCC) of three Phase Synchronous Generator
- Study of open circuit characteristics (OCC) of three Phase Synchronous Generator
- Study and measure of voltage regulation of Three Phase Synchronous Generator using EMF Method

Single Phase Transformer:

- Study of Single-Phase Isolation Transformer
- Study of Single-Phase Step Up Transformer
- Study of Single-Phase Step Down Transformer
- Study of Subtractive Polarity of Single Phase Transformer
- Study of Additive Polarity of Single-Phase Transformer
- Study of Open Circuit test of Single-Phase Transformer
- Study of Short Circuit Test of Single-Phase Transformer

To determine the Efficiency and Voltage Regulation of a Single-Phase Transformer by direct loading at different loading condition.

Three Phase Transformer:

- Study of Open Circuit test of Three-Phase Transformer
- Study of Short Circuit Test of Three-Phase Transformer
- Study of Three Phase Configurations in Three Phase Transformer

**More than 70 Experiments can be performed in 46967

**Also suitable for performing experiments on basic Electrical Measurements

Technical Specifications of Optional Machines

DC Motors (optional)

Machine Specification Type - Shunt

Available with 1/2HP, 1HP, 2HP & 3HP **Power Rating**

Voltage Rating 220V DC ± 5% Rated Speed $1500RPM \pm 7.5\%$

Insulation Class 'B' Loading arrangement Mechanical

Spring Balance 2Nos.(Tubular Type)

Aluminum casted with heat suppression facility Brake Drum/Pulley

Machine Base "C" Channel

Protection Fuses (mounted at the terminal box of the Machines)

Note: Specifications are subject to change.

₹ **Tesca Technologies Pvt. Ltd.**% IT-2013, Ramchandrapura Industrial Area, Sitapura Extension, Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India, Tel: +91-9829132777; Email: info@tesca.in, tesca.technologies@gmail.com





Machine Specification Type - Series

Power Rating Available with 1HP, 2HP & 3HP

Voltage Rating 220V DC ± 5% Rated Speed $1500RPM \pm 7.5\%$

Insulation Class 'B' Loading arrangement Mechanical

Spring Balance 2Nos. (Tubular Type)

Aluminum casted with heat suppression facility Brake Drum/Pulley

Machine Base "C" Channel

Protection Fuses (mounted at the terminal box

of the Machines)

Machine Specification Type - Compound

Power Rating Available with 1HP, 2HP & 3HP

Voltage Rating 220V DC ± 5% Rated Speed $1500RPM \pm 7.5\%$ Insulation Class 'B'

Loading arrangement Mechanical

Spring Balance 2Nos.(Tubular Type)

Aluminum casted with heat suppression facility Brake Drum/Pulley

Machine Base "C" Channel

Protection Fuses (mounted at the terminal box of the Machines)

AC Motors (optional)

Machine Specification - Single Phase Induction Motor

Type Single phase Capacitor Start Induction Motor

Power Rating Available with 1HP Voltage Rating $230V AC \pm 5\%, 50Hz$ Rated Speed $1440RPM \pm 7.5\%$

Insulation Class 'B' Loading arrangement Mechanical

Spring Balance 2 Nos. (Tubular Type)

Aluminum casted with heat suppression facility Brake Drum/Pulley

Machine Base "C" Channel

Protection Fuses (mounted at the terminal box of the Machines)

Machine Specification - Three Phase Squirrel Cage Induction Motor

Three Phase Squirrel Cage Induction Motor

Power Rating Available with 1HP, 2HP & 3HP

 $415V AC \pm 5\%, 50Hz$ Voltage Rating $1440RPM \pm 7.5\%$ Rated Speed

Insulation Class 'B' Loading arrangement Mechanical

Spring Balance 2 Nos. (Tubular Type)

Aluminum casted with heat suppression Facility Brake Drum/Pulley

Machine Base

Protection Fuses (mounted at the terminal box of the Machines)

Single Phase Transformer (optional)

Transformer Specifications

Mains Supply Single Phase, 230V AC ±10%, 50Hz

1kVA Rating

Primary Voltage 0-125V, 0-125V Secondary Voltage 0-125V, 0-125V

Rated Current

Three Phase Transformer (optional)

Transformer Specifications.

 $415V \pm 10\%, 50Hz$ Mains Supply Type Three Phase

Power Rating 1kVA 415V Primary Voltage 230V Secondary Voltage Rated Current 4A

Note: Specifications are subject to change.

Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,

Tel: +91-9829132777; Email: info@tesca.in, tesca.technologies@gmail.com



DC Generators (optional)

Machine Specification

Both the Machines are flexibly coupled and Mounted on a Single 'C' Channel Base DC Machine (acts as prime mover)

Type

Voltage Rating 220V DC ± 5% Rated Speed $1500RPM \pm 7.5\%$

Insulation Class 'B'

DC Machine (acts as generator)

Type Shunt

Power Rating Available with 0.5HP, 1HP, 2HP & 3HP

Rated Speed $1500RPM \pm 7.5\%$

Insulation Class 'B' Shaft extension Single Sided Loading Arrangement Electrical

Type of Coupling Flexible "Lovejoy" Coupling

"C" Channel Machine Base

Protection Fuses (mounted at the terminal box of the Machines)

Machine Specification

Both the Machines are flexibly coupled and Mounted on a Single 'C' Channel Base

DC Machine (acts as prime mover)

Shunt Type

Voltage Rating 220V DC ± 5% Rated Speed $1500RPM \pm 7.5\%$

Insulation Class 'B'

DC Machine (acts as generator)

Type Series

Available with 1HP & 2HP **Power Rating** Rated Speed $1500RPM \pm 7.5\%$

Insulation Class 'B' Shaft extension Single Sided Loading Arrangement Electrical

Flexible "Lovejoy" Coupling Type of Coupling

Machine Base "C" Channel

Protection Fuses (mounted at the terminal box of the Machines)

Machine Specification

Both the Machines are flexibly coupled and Mounted on a Single 'C' Channel Base

DC Machine (acts as prime mover)

Type Compound Voltage Rating 220V DC ± 5% Rated Speed $1500RPM \pm 7.5\%$

Insulation Class 'B'

DC Machine (acts as generator)

Type Compound

Power Rating Available with 1HP & 2HP Rated Speed $1500RPM \pm 7.5\%$

Insulation Class 'B' Shaft extension Single Sided Loading Arrangement Electrical

Type of Coupling Flexible "Lovejoy" Coupling

Machine Base "C" Channel

Protection Fuses (mounted at the terminal box of the Machines)

AC Generators (optional)

Machine Specification

Both the Machines are flexibly coupled and Mounted on a Single 'C' Channel Base

Three Phase Synchronous Machine

Type Salient Type

Power Rating 3 HP

Voltage Rating $415V AC \pm 10\%, 50Hz$

Note: Specifications are subject to change.

₹ **Tesca Technologies Pvt. Ltd.**% IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,

Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,

Tel: +91-9829132777; Email: info@tesca.in, tesca.technologies@gmail.com



Configuration "Delta" Connected Rated Speed 1500RPM ± 5% Insulation Class 'B'

Excitation Voltage $180 Vdc \pm 10\%$

DC Machine (acts as generator)

Type Shunt **Power Rating** 2HP

 $1500RPM \pm 7.5\%$ Rated Speed

Insulation Class 'B' Electrical Loading Arrangement

Type of Coupling Flexible "Lovejoy" Coupling

Machine Base "C" Channel

Protection Fuses (mounted at the terminal box of the Machines)

Machine Specification

Both the Machines are flexibly coupled and Mounted on a Single 'C' Channel Base

DC Machine (acts as prime mover)

Shunt **Power Rating** 5HP

Voltage Rating 220V DC ± 5% $1500RPM \pm 7.5\%$ Rated Speed Insulation Class 'B'

Three Phase Synchronous Machine (acts as generator)

Salient Type Configuration "Star" Connected

Power Rating 3HP

Voltage Rating $415V AC \pm 5\%, 50Hz$ Rated Speed $1500RPM \pm 5\%$

Insulation Class 'B' $180 Vdc \pm 10\%$ Excitation Voltage Loading Arrangement Electrical

Type of Coupling Flexible "Lovejoy" Coupling

Machine Base "C" Channel

Protection Fuses (mounted at the terminal box of the Machines)

Machine Specification

Both the Machines are flexibly coupled and Mounted on a Single 'C' Channel Base

DC Machine

Type Shunt **Power Rating** 2HP

Voltage Rating 220V DC ± 5% Rated Speed 1500RPM ± 5% Insulation Class 'B'

Three Phase Synchronous Machine

Type Salient Type Configuration "Star" Connected

Power Rating

Voltage Rating $415V AC \pm 5\%, 50Hz$ Rated Speed $1500RPM \pm 7.5\%$

Insulation Class 'B' **Excitation Voltage** $180 \text{Vdc} \pm 10\%$ Loading Arrangement Electrical

Type of Coupling Flexible "Lovejoy" Coupling

Machine Base "C" Channel

Protection Fuses (mounted at the terminal box of the Machines)

Other Supporting Optional Items

Single and Three Phase Resistive Load

Single Phase Operation

Voltage $240V AC \pm 10\%, 50Hz$

Current 15A Power 3.5kW Loading steps 15

Note: Specifications are subject to change.

₹ **Tesca Technologies Pvt. Ltd.**% IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,

Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,

Tel: +91-9829132777; Email: info@tesca.in, tesca.technologies@gmail.com



Three Phase Star Operation

Voltage $415VAC \pm 10\%, 50Hz$ Current 5A (per Phase)

Power 3.5kW

Loading steps 5 (per Phase)

Three Phase Delta Operation

 $415VAC \pm 10\%, 50Hz$ Voltage Current 15A (per Phase) Power 10.5kW Loading steps 5 (per Phase)

Switching Technique Star/Delta Switch, 415V, 25A

Mains MCB 16A (TPN)



Three Phase Star Operation

Voltage $415V AC \pm 10\%, 50Hz$ Current 10A (per Phase)

Single and Three Phase Capacitive Load

Single Phase Operation

 $230V AC \pm 10\%, 50Hz$ Voltage Current 14A (Approx.)

Loading steps 30

Three Phase Star Operation

 $415V AC \pm 10\%, 50Hz$ Voltage Current 4.6A (per Phase) Loading steps 10 (per Phase)

Three Phase Delta Operation

 $415VAC \pm 10\%, 50Hz$ Voltage Current 13A (per Phase) 10 (per Phase) Loading steps

Switching Technique Star/Delta Switch, 415V, 25A Mains MCB 16A (TPN) 10A (One Pole) 30 Nos.

Thyristorized DC Regulated Power Supply

Input Mains $415VAC \pm 10\%, 50Hz$ Rated Output Voltage 220VDC (Fixed) \pm 5%,

Rated Output Current 50ADC

Less than 3% at full load condition. Regulation

Measuring Instruments

AC Voltmeter 1 No. (with voltage selector switch) **DC** Ammeter 1 No.

DC Voltmeter 1 No.

Protection with its indicators

Overload Protection Short Circuit Protection Phase Sequence Indicator

Single Phase Variac

Type: Close Type $230VAC \pm 10\%, 50Hz$ **Operating Rating**

Output Voltage $0 - 270V AC \pm 10\%, 50Hz$ Current 10A (Also available in different Current Ratings)

Three Phase Variac

Type Close Type

Operating Rating $415VAC \pm 10\%, 50Hz$ Output Voltage $0 - 470V AC \pm 10\%, 50Hz$

Current 10A (Also available in different Current Ratings)

- Rheostats
- AC Starters
- DC Starters



Single and Three Phase Capacitive Load



Three Phase Inductive Load



Single and Three Phase Resistive Load

Note: Specifications are subject to change.

₹ **Tesca Technologies Pvt. Ltd.**% IT-2013, Ramchandrapura Industrial Area, Sitapura Extension, Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India, Tel: +91-9829132777; Email: info@tesca.in, tesca.technologies@gmail.com



Electrical Data Acquisition System is a versatile solution that allows high quality measurements for all Electrical Parameters and is suited for all types of Engineering Laboratories. Electrical Data Acquisition System provides wireless measurements of Single and Three Phase AC as well as DC Parameters measurements with high accuracy.

Electrical Data Acquisition System includes three inputs each for Voltage and Current, two inputs each for DC Voltage and DC Current to measure an entire Three Phase Parameters and DC Parameters such as AC and DC Voltage, AC and DC Current, Active Power, Reactive Power, Apparent Power, Power Factor, Frequency, etc. along with Over Load Protection Indicators and buzzer at the same time. All these parameters will be displayed on the PC Software screen provided with the product.

Electrical Data Acquisition System is compatible for three phase/three wire and three phase/four wire configurations. User can also plot a real time graph between any of these parameters on computer through the facility of wireless connectivity.

- 1. Electrical Data Acquisition System is compatible for Motors upto 3HP
- 2. Real Time monitoring of electrical parameters using computer Interface Software
- 3. Curve can be plotted between any of the two electrical parameters along with its calculation done on computer
- 4. Facility to store plotting curve reading for further reference
- 5. Microcontroller based accurate and reliable design
- 6. Singe Phase Parameters Measurement
 - 3 AC Voltage Inputs
 - 3 AC Current Inputs

Corresponding Active Power, Reactive Power, Apparent Power, Frequency, Power Factor and Angle

- 2 DC voltage Inputs
- 2 DC current Inputs
- 7. Three Phase Parameters Measurement
 - Line to Neutral Voltage
 - Line to Line Voltage
 - Line Current
 - Active Power
 - Reactive Power
 - Apparent Power
 - Frequency
 - Power Factor
- 8. CT is used as Current Transducer
- 9. Fully isolated measurement

Real Time monitoring of electrical parameters using computer interface software

Technical Specifications

Communication Frequency: 2.4GHz **RF Power** 1mWatt 10Mtr. Range

Measurement Ranges

25-450Vrms, accuracy ±1% AC Voltage Range AC Current Range : 0.20-10Amp, accuracy ±1% DC Voltage Range 25-300Vrms, accuracy ±1% DC Current Range 0.20-15Amp, accuracy $\pm 1\%$ Frequency 45-55Hz, accuracy ± 0.5 Hz Active Power 50-3000Watts, accuracy ±2% Reactive Power 50-3000Watts, accuracy ±2% Apparent Power 50-3000Watts, accuracy ±2% Power Factor 0.30 to 0.99 both Lead and Lag,

accuracy ±3° Electrical

Speed Up to 2500 RPM 0 - 25 N-m Torque

Auxiliary Supply 230V AC± 10%, 50Hz



Wireless connectivity with computer



Note: Specifications are subject to change.

₹ Tesca Technologies Pvt. Ltd.% IT-2013, Ramchandrapura Industrial Area, Sitapura Extension, Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India, Tel: +91-9829132777; Email: info@tesca.in, tesca.technologies@gmail.com

