

General Specifications

Pressure Range : -95 to 1000 kPa (-0.95 to 10 bar)

Working Pressure : 600 kPa (6 bar)

Mounting System : Quick action mounting – Quick-Fix

S. No.	Component	Specification / Details	Reference Image
1	Signal Input	Electrical push button module	
2	Electrical Relay	Relay logic unit 4-C/O relays	
3	Three-fold Limit Switch	Electrical limit switch (Forwarding)	
4	Electrical Limit Switch (Left)	Electrical limit switch (Reversing)	
5	Electrical Limit Switch (Right)	Electrical limit switch (Idle)	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.


 Export Sales: +91-9829132777
 India Sales: +91-9588842361

 IT-2013, Ramchandrapura Industrial Area,
 Sitapura Extension, Jaipur-302022, India.

 info@tesca.in
 www.tescaglobal.com

S. No.	Component	Specification / Details	Reference Image
6	Optical Proximity Sensor	Type: Optical	
7	M12 Electronic Proximity Sensor	With cylinder mounting	
8	3/2-way Solenoid Valve	2 units, LED indicator, normally closed	
9	5/2-way Solenoid Valve	With LED	
10	5/2-way Double Solenoid Valve	With LED	
11	Pressure Sensor	With display	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com

S. No.	Component	Specification / Details	Reference Image
12	One-way Flow Control Valve	One-way Flow Control Valve	
13	Single-acting Cylinder	Single-acting Cylinder	
14	Double-acting Cylinder	Double-acting Cylinder	
15	Start-up Valve with Filter	FRCLM with pressure gauge	
16	Control Valve Manifold	Junction box with slide valve	
17	Plastic Tubing	Plastic Tubing	

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com