

Order Code -23246991.117 Multimedia Projector




Key Features:


- Scalable, portable HD display: 53-120" ST display for unrestricted viewing without reflections
- Bright and energy efficient laser: 4,000lm CLO with 3LCD technology for brighter colours at only 201W
- Effortless connectivity options: Auto-on, wired / wireless display with USB 2A output for smart sticks
- Simple to use and built to last: Virtually maintenance free with 5-year, 12,000hr warranty
- Document camera compatibility: Create and record a live, totally immersive lesson or presentation

Technology:

- Projection System 3LCD Technology, Consists of LCD/Back lighting
- LCD Panel 0.59 inch with C2 Fine

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.















Order Code -23246991.117 **Multimedia Projector**

Image:

• Color Light Output: 4,000 Lumen- 2,800 Lumen (economy)

• White Light Output: 4,000 Lumen - 2,800 Lumen (economy)

Resolution: WXGA 2

High Definition: HD ready

Aspect Ratio: 16:10

• Contrast Ratio : Over 2,500,000 : 1

Light source : Laser

• Laser Light source: 20,000 hours Durability High, 30,000 hours **Durability Eco**

Keystone Correction: Auto vertical: ± 15°, Manual horizontal ± 15°

• Colour Video Processing: 10 Bits

• 2D Vertical Refresh Rate: 100 Hz - 120 Hz

Colour Reproduction: Upto 1.07 billion colours

Product Specifications:


Power consumption: 201 Watt - On mode power consumption (Normal) 260 Watt (Peak), 191 Watt (Eco), 0.5 Watt (Energy saving standby)

Heat Dissipation: 884 BTU/hour (max)

Supply Voltage : AC 100 V - 240 V, 50 Hz - 60 Hz

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.

Export Sales: +91-9829132777 India Sales: +91-9588842361















Order Code -23246991.117 Multimedia Projector

Product dimensions: 325 x 337 x 90 mm (Width x Depth x Height)

Product weight: 4.6 kg

Noise Level Normal: 37 dB (A) – Economy: 27 dB (A)

Supported Temperature Storage : -10° C - 60° C

Supported Humidity: Operation 20% - 80%, Storage 10% - 90%

• Loudspeaker: 16 Watt

Room Type / Application : Meeting room / Classroom

• Positioning: Ceiling Mounted, Table Mounted, Wall Mounted Colour White

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.

