



Complies with following International Standards: ASTM D2041, AASHTO T209, AASHTO T283

Features:

- Large capacity **Vacuum Pycnometer: 180–260 mm diameter × 160 mm height**
- Conveniently handles **samples up to 6000 grams**, minimizing segregation effects
- Constructed from **stainless steel sheet**, with the **upper half made of transparent acrylic** for visual observation during vacuum operation
- Fitted with **vacuum gauge, coupling for vacuum application, and vent valve**
- Suitable for **paving mixture samples up to 6000 g with maximum aggregate size of 50 mm (2")**

Supplied Complete with the Following Accessories:

- **Portable Vacuum Pump with Vacuum Gauge** – 1 No.
- **Silicon Tubing for Vacuum** – 1 No.
- **Vacuum Container** – 1 No.
- **Agitation Device** – 1 No.

Optional Accessories (Available at Extra Cost):

1. **Electronic Weighing Balance** with under-hook weighing facility – *10 kg × 0.1 g*
2. **Hot Air Oven**
3. **Constant Temperature Water Bath** for maintaining water at 25°C
4. **Mercury-in-Glass Thermometer** – *0–50°C × 0.5°C*
5. **Filter Flask**, capacity *approx. 4000 ml*, with **rubber stopper**

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com