



Key Features

- Pneumatic training, stepper motor control applications, servomotor control applications, mechanical systems installation and commissioning, system maintenance, communication applications, motor reversing control, motor control, stepper motor control, servo motor control.
- Automatic testing technology application training
- Pneumatic technology application training
- PLC Programming training
- Touch screen technology application training
- Transducer technology application training
- Control drive application technology training
- Mechanical system installation & debugging training
- System maintenance & fault detect training
- System communication technology application training

Technical Specifications

- Power Supply : Single-phase AC 220V \pm 10%, 50Hz/60Hz
- Operating Temperature :-10°C to 40°C
- Humidity : \leq 90% RH (at 25°C)
- Overall Dimensions : 1500 mm \times 750 mm \times 1250 mm (D \times W \times H)

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com



- Power Capacity : 1 KVA
- Pump Power : AC 220V, 0.37 KVA
- Air Flow Rate : 10 L/min
- Discharge Pressure : 0.6 – 0.8 Mpa
- Working Pressure : 0.6 Mpa
- Net Weight : 75 kg



Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,
Sitapura Extension, Jaipur-302022, India.



info@tesca.in
www.tescaglobal.com